

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 4903

2013 Chevrolet Express Passenger AWD 1500 135"



2013 Chevrolet Express Passenger AWD 1500 135" LS (CH13406)

CLASS 4903

VAN PASSENGER FULLSIZE AWD

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION	
Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	2
STANDARD EQUIPMENT	
Mechanical	3
Exterior	10
Entertainment	3
Interior	3
Safety	4
TECHNICAL SPECIFICATIONS	
Chassis	5
Vehicle	7
Powertrain	7
Dimensions	8
Exterior	10
WARRANTY INFORMATION	
Warranty Information	11

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description	Front Weight	Rear Weight
CH13406	2013 Chevrolet Express Passenger AWD 1500 135" LS	3145 lbs	2573 lbs

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description		
FE9	EMISSIONS, FEDERAL REQUIREMENTS		
LMF	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL, (310 hp [231.1 kW] @ 5200 rpm, 334 lb-ft of torque [450.9 N-m] @ 4500 rpm) (STD), (Standard on CG13406 and CH13406 models.)		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED, with overdrive, tow/haul mode and internal transmission oil cooler (STD), (Standard on CG13406 or CH13406 models. Reference the Engine/Axle page for availability.)		
GT4	REAR AXLE, 3.73 RATIO, (Requires CG13406 or CH13406 models. Not available with CG23406, CG33406 or CG33706 models., Reference the Engine/Axle page for availability.)		
1LS	LS PREFERRED EQUIPMENT GROUP, Includes Standard Equipment		
NX7	WHEELS, 4 - 17" X 7" (43.2 CM X 17.8 CM) STEEL, includes steel spare (STD), (Requires CG13406 or CH13406 models.)		
ZY1	PAINT, SOLID, (STD)		
Front Weight		Rear Weight	
ZP8	SEATING, 8-PASSENGER, (2-3-3 SEATING CONFIGURATION), (STD), (Standard on CG13406 or CH13406 model only. Available on CG23406 or CG33406 models.)	-22.0	23.0
Front Weight		Rear Weight	
AS5	SEATS, FRONT BUCKET WITH CUSTOM CLOTH TRIM, head restraints and inboard armrests, (Requires (**G) interior trim., When ordering a seating arrangement that includes rear seats, includes rear bench seats with Custom Cloth trim. Head restraints are not available on rear bench seats.)	-14.0	4.0
93G	MEDIUM PEWTER, CUSTOM CLOTH		
Front Weight		Rear Weight	
U1C	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, seek-and-scan, digital clock, TheftLock, random select and 2 front door speakers	2.0	0.0
PDN	POWER PACKAGE, (Includes (ZQ2) Convenience Package and (DE5) outside heated, power-adjustable, Black mirrors (Upgradeable to (DE7) outside heated, power-adjustable, Black mirrors with turn signal indicators).)		
KG3	ALTERNATOR, 145 AMPS, (Included with (C69) rear air conditioning.)	4.0	0.0
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY, includes trailering hitch platform and 7-pin sealed connector (Includes (UY7) 7-lead trailer wiring harness.)	-44.0	94.0
UY7	TRAILER WIRING, 7-PIN SEALED CONNECTOR, (Included with (Z82) heavy-duty trailering equipment.)	0.0	3.0
DE5	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, BLACK, MANUAL-FOLDING, (Requires (ZQ2) Convenience Package. Included with (PDN) Power Package.)	4.0	0.0
U80	COMPASS, 8-POINT DIGITAL, located in the Driver Information Center, (Included and only available with (C69) rear air conditioning.)		
ZQ2	CONVENIENCE PACKAGE, POWER WINDOWS AND DOOR LOCKS, (Includes (AU3) power door locks and (A31) power windows., Included with (PDN) Power Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)	9.0	1.0
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND (K34) CRUISE CONTROL, (Standard on the CG33406 and CG33706 models.)	4.0	0.0
A31	WINDOWS, POWER, (Included and only available with (ZQ2) Convenience Package.)		
AU3	DOOR LOCKS, POWER, with lock-out protection, (Included with (ZQ2) Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)	0.0	1.0

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Code	Description		
ATG	REMOTE KEYLESS ENTRY, with 2 transmitters and remote panic button, (Requires (AU3) power door locks. Available with (Y3H) Paratransit Package.)		
K34	CRUISE CONTROL, (Included and only available with (ZQ3) Convenience Package, tilt-wheel and cruise control.)		
C69	AIR CONDITIONING, REAR, (Requires (TR9) auxiliary lighting. Includes (C36) rear heater, (U80) digital compass and (KG3) 145-amp alternator. Standard on CG33706 models only. Included with (Y3H) Paratransit Package.)	-7.0	66.0
C36	HEATER, REAR AUXILIARY, (Included with (C69) rear air conditioning. Standard on CG33706 models only.)	5.0	22.0
DH6	VISORS, DRIVER AND FRONT PASSENGER, PADDED WITH CLOTH TRIM, and dual vanity mirrors, illuminated on passenger-side, (Included and only available with (TR9) auxiliary lighting. Standard on CG33706.)	1.0	2.0
TR9	LIGHTING, AUXILIARY, with reading and underhood lights, (Requires (C69) rear air conditioning. Includes (DH6) driver and front passenger visor vanity mirrors. Standard on CG33706 models only.)		

AFTERMARKET OPTIONS

Chev-RunBds	Front Weight	Rear Weight
Running Boards for fullsize passenger vans, both sides. Option code: AMO.	0	0
Chev2008-Alarm	Front Weight	Rear Weight
Backup Alarm for fullsize passenger and cargo van. Option code: AMO.	0	0

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine, Vortec 5.3L V8 SFI FlexFuel (310 hp [231.1 kW] @ 5200 rpm, 334 lb-ft of torque [450.9 N-m] @ 4500 rpm) (Standard on CG13406 and CH13406 models.)

Transmission, 4-speed automatic, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Standard on CG13406 or CH13406 models. Reference the Engine/Axle page for availability.)

Rear axle, 3.42 ratio (Standard on CG13406 or CH13406, CG23406, CG33406, and CG33706 models. Reference the Engine/Axle page for availability.)

Tow/haul mode selector, instrument panel-mounted

All-wheel drive

Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power

Alternator, 125 amps (Standard on CG13406 and CH13406. Not available with (C69) rear air conditioning.)

Frame, ladder-type

Suspension, front independent with torsion bar (computer selected) and stabilizer bar (Standard and only available on *H13406 model.)

Suspension, rear hypoid drive axle with multi-leaf springs

GVWR, 7300 lbs. (3311 kg) (Standard on CG13406 or CH13406 models. Reference the Engine/Axle page for availability.)

Steering, power

Brakes, 4-wheel antilock, 4-wheel disc

Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)

Exhaust, aluminized stainless-steel muffler and tailpipe

EXTERIOR

Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel includes steel spare (Requires CG13406 or CH13406 models.)

Tires, front P245/70R17 all-season, blackwall (Requires CG13406 or CH13406 models standard tire.)

Tires, rear P245/70R17 all-season, blackwall (Requires CG13406 or CH13406 models standard tire.)

Tire, spare P245/70R17 all-season, blackwall (Requires CG13406 or CH13406 models standard tire.)

Body, standard

Bumpers, front and rear painted Black with step-pad (Deleted when (V37) front and rear chrome bumpers is ordered.)

Grille, Black composite with single rectangular halogen headlamps

Headlamps, halogen

Mirrors, outside manual, Black

Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)

Glass, swing-out side door windows

Glass, swing-out rear cargo door windows

Glass, full-body window package (Includes (A18) swing-out rear cargo door window glass and (A19) swing-out side door window glass.)

Wipers, front intermittent wet-arm with pulse washers

License plate kit, front

Door, swing-out passenger-side, 60/40 split

ENTERTAINMENT

Audio system, AM/FM stereo with seek-and-scan, digital clock and 2 front door speakers

INTERIOR

Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests (Requires (**W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.)

Seating, 8-passenger, (2-3-3 seating configuration) (Standard on CG13406 or CH13406 model only. Available on CG23406 or CG33406 models.)

Console, engine cover with open storage bin

Cup holders, 3 on the engine console cover

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Power outlets 2 auxiliary on engine console cover with covers, 12-volt
 Floor covering, full-length Black rubberized-vinyl
 Steering wheel steel sleeve column with theft-deterrent locking feature, Black
 Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
 Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
 Oil life monitor
 Warning tones, headlamp on and key-in-ignition
 Theft-deterrent system, vehicle, PASS-Key III
 Air conditioning, single-zone manual
 Defogger, front and side windows
 Mirror, inside rearview manual day/night
 Headliner, cloth
 Visors, driver and front passenger, cloth, padded (Not available on CG33706 models. Not available with (TR9) auxiliary lighting or (C69) rear air conditioning or (DAA) driver and front passenger vinyl visors or (DH6) driver and front passenger visors padded with cloth trim.)
 Assist handle, front passenger
 Lighting, interior with 2 dome lights defeat switch and door handle-activated switches

SAFETY

StabiliTrak, traction assistance and vehicle stability enhancement system
 Brake/transmission shift interlock for automatic transmissions
 Door beams, steel-side
 Daytime Running Lamps
 Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch for models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
 Air bags, head/side-curtain provides coverage for first 3-rows only. Enhanced-technology glass is provided for the fourth and fifth rows when equipped with 12- and 15-passenger seating. (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
 OnStar, 6 months of Directions and Connections plan includes, Automatic Crash Response, Emergency Services, Crisis Assist, First Assist, Injury Severity Predictor, Stolen Vehicle Assistance, Stolen Vehicle Slowdown, Remote Ignition Block, Remote Door Unlock, Roadside Assistance, Remote Horn and Lights, Turn-by-Turn Navigation with OnStar eNav, OnStar Vehicle Diagnostics, Hands Free Calling and available OnStar RemoteLink mobile app (Visit onstar.com for details and system limitations.)
 Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)
 Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)
 OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)
 Child seat anchors all three passenger rear seats have four anchors and two tethers
 Tire Pressure Monitoring System (does not apply to spare tires)

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	5718.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3145.00 lbs
Base Trim Weight - Rear	2573.00 lbs
Gross Axle Wt Rating - Front	3700 lbs
Gross Axle Wt Rating - Rear	4000 lbs
Curb Weight - Front	3145 lbs
Curb Weight - Rear	2573 lbs
Option Weight - Front	-58.00 lbs
Option Weight - Rear	216.00 lbs
Reserve Axle Capacity - Front	613.00 lbs
Reserve Axle Capacity - Rear	1211.00 lbs
As Spec'd Curb Weight	5876.00 lbs
As Spec'd Payload	1424.00 lbs
Maximum Payload Capacity	1582.00 lbs
Gross Combined Wt Rating	12000 lbs
Gross Axle Weight Rating	7700.00 lbs
Curb Weight	5718.00 lbs
Reserve Axle Capacity	1824.00 lbs
Total Option Weight	158.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7300.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	6000 lbs
Wt Distributing Hitch - Max Tongue Wt.	900 lbs
Maximum Trailing Capacity	6200 lbs

Frame

Frame Type	Ladder-type
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	Torsion Bar
Suspension Type - Rear	Hypoid Drive
Spring Capacity - Front	3700 lbs
Spring Capacity - Rear	4000 lbs
Axle Type - Front	Independent
Axle Type - Rear	Semi-Floating
Axle Capacity - Front	3700 lbs
Axle Capacity - Rear	4000 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	
Stabilizer Bar Diameter - Front	1.3 in
Stabilizer Bar Diameter - Rear	

Tires

Front Tire Order Code	XPR
Rear Tire Order Code	YPR
Spare Tire Order Code	ZPR
Front Tire Size	P245/70R17
Rear Tire Size	P245/70R17
Spare Tire Size	P245/70R17
Front Tire Capacity	2063 lbs
Rear Tire Capacity	2063 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 7.0 in
Rear Wheel Size	17 x 7.0 in
Spare Wheel Size	17 x 7.0 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	17.2
Steering Ratio (:1), At Lock	17.2
Turning Diameter - Curb to Curb	43.4 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	12.0 x 1.1 in
Rear Brake Rotor Diam x Thickness	13.0 x 1.2 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	31.0 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	Mid-frame
Aux Fuel Tank Location	

VEHICLE**Emissions**

Tons/yr of CO2 Emissions @ 15K mi/year	13.1
EPA Greenhouse Gas Score	1 (2012)

Vehicle

Rear Door Type	Panel
----------------	-------

POWERTRAIN**Transmission**

Drivetrain	All Wheel Drive
Trans Order Code	M30
Trans Type	4
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	3.06
Second Gear Ratio (:1)	1.63
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.70
Reverse Ratio (:1)	2.29
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	17 MPG
Cruising Range - City	403.00 mi
EPA Fuel Economy Est - City	13 MPG
Fuel Economy Est-Combined	14 MPG
Cruising Range - Hwy	527.00 mi

Engine

Engine Order Code	LMF
Engine Type	Gas/Ethanol V8
Displacement	5.3L/323
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	310 @ 5200
SAE Net Torque @ RPM	334 @ 4500
Engine Oil Cooler	

Electrical

Cold Cranking Amps @ 0° F (Primary)	600
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	145

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS**Interior Dimensions**

Passenger Capacity	8
Front Head Room	39.8 in
Front Leg Room	41.3 in
Front Shoulder Room	68.8 in
Front Hip Room	65.5 in
Second Head Room	38.4 in
Second Leg Room	36.3 in
Second Shoulder Room	68.6 in
Second Hip Room	65.6 in
Third Head Room	38.5 in
Third Leg Room	36.6 in
Third Shoulder Room	65.8 in
Third Hip Room	63.3 in

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	135.0 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	224.1 in
Width, Max w/o mirrors	79.2 in
Height, Overall	83.7 in
Overhang, Front	39.7 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	29.1 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	7.1 in
Body Length	0.00 ft
Rear Door Opening Height	49.4 in
Rear Door Opening Width	57.0 in
Side Door Opening Height	47.9 in
Side Door Opening Width	44.1 in
Step Up Height - Front	19.4 in
Step Up Height - Side	19.8 in
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	N/A in
Cargo Area Length @ Floor to Console	153.6 in
Cargo Area Length @ Floor to Seat 1	126.2 in
Cargo Area Length @ Floor to Seat 2	89.1 in
Cargo Area Length @ Floor to Seat 3	57.1 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	50.4 in
Cargo Box (Area) Height	51.8 in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Cargo Volume to Seat 1	216.2 ft ³
Cargo Volume to Seat 2	N/A ft ³
Cargo Volume to Seat 3	92.1 ft ³
Cargo Volume to Seat 4	
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Side Door Type

Swing-out

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.


carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:
3 Years/36,000 Miles
Drivetrain:
5 Years/100,000 Miles
Corrosion:
3 Years/36,000 Miles
Rust-Through
6 Years/100,000 Miles
Roadside Assistance:
5 Years/100,000 Miles



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.